FORMWORK

MULTI SLAB BRACE FORMWORK

www.tufnlite.com

A LIGHTWEIGHT, ADJUSTABLE SOLID STEEL FORMWORK SOLUTION SAVE TIME AND MONEY, MAXIMIZE QUALITY, MAINTAIN SAFETY

PRODUCT

STACKABLE

FRAMES









HIGH RISE
















www.tufnlite.com



- REDUCE MANHOURS BY AN AVERAGE OF 60%
- STRIP THE FRAMES THE SAME DAY YOU POUR
- STACKS UP TO 4-FT TALL
- SPACING 2-FT O/C AT 4-FT THICK
- SPACING 4-FT 0/C AT 12" THICK
- ELIMINATES STAKES & NAILS
- FORMS MAY BE USED TO ALIGN VERTICAL
- CORDLESS RATCHET TIGHTENS/LOOSENS
 KICKER PLATES, SO STRIPPING AND CLEANUP
 IS FASTER THAN ANY SYSTEM TODAY.
- SIMPLY UNSCREW FROM WALERS/FORMS, PULL PINS. STACK AND PUT AWAY
- EASY CLEANUP WITH NOX-CRETE BLAST OFF





























HIGH RISE FRAME



- TABLE FORMS FASTEN TO MDO AT THE EDGE OF THE TABLE FORM. LEAVE FRAME ATTACHED TO FORM, BREAK THE BOND BETWEEN CONCRETE & FORM, FLY TO THE NEXT STORY.
- STRIP THE FRAMES THE SAME DAY YOU POUR
- REDUCE MAN HOURS BY OVER 60%
- BRIDGE DECKS
- POST TENSION SLABS
- 4" SLABS TO 24" THICK
- CAN BE FIXED TO CONCRETE, PLYWOOD & THE GROUND























- **USED TO FORM TILT-UP PANELS**
- STRIP THE FRAMES THE SAME DAY YOU POUR
- UP TO 12" SLABS OR 14" WITH BOX FORM
- ARM EXTENDS OUT 11-1/4"
- FINISHING CREWS NEVER HAVE TO AVOID CLIPPING STAKES AGAIN
- REDUCE MAN HOURS BY OVER 60%
- **ELIMINATE LUMBER FOR KICKERS**
- WRECKS 3 TIMES FASTER THAN CONVENTIONAL LUMBER KICKERS
- CAN BE FIXED TO CONCRETE, PLYWOOD & THE GROUND
- PERFECT FOR 8" PODIUM DECKS






















APPLICATIONS ///

INDUSTRIAL /// RESIDENTIAL COMMERCIAL SLAB-ON-GRADE MONOLOITHIC SLABS /// SLAB-ON-DECK TILT-UP PANELS TABLE FORMS BRIDGE DECKS POST-TENSION SLABS RADIUS' DOCK DOORS

ELIMINATE

NAILS

HAMMERS

FLYING LUMBER FOR KICKERS

OVERTIME HOURS

HAND INJURIES

REDUCE

MAN HOURS BY OVER 60%

MATERIAL COSTS

HAND INJURIES

TRIP HAZARDS

LABOR COSTS

REUSE

GET 10+ YEARS OUT OF MSB FRAMES

MSB STAKES HAVE BEEN USED IN OVER 200 POURS

STRIP THE FRAMES THE SAME DAY YOU POUR AND REUSE ON FRAMING THE NEXT POUR



SLAB-ON-DECK MONOLITHIC SLAB **##** BRICK LEDGE

SLAB-ON-GRADE

POST-TENSION PAVING M DOCK DOORS

TILT-UP SLABS

TABLE FORMS

/// PAVING W CURB & GUTTER

BRIDGE DECKS W TURN-DOWNS

PODIUM DECKS















POWDER COATED









MAKE-UP ///

SOLID STEEL FRAME /// ZINC PLATED STEEL /// POWDER COATED NO RUST /// NO WORRIES

FIELD USE DATA				
FRAME	SLAB TYPE/THICK	FORM MATERIAL	SPACING	*FEET/MAN HOUR
A FRAME	S0G/4"-24"	2X	4'	110'
A FRAME	SOD/6"-12"	2X	4'	360'
A FRAME	SOD/12"-24"	BOX FORM	4'	240'
A FRAME	SOD/6"-10"	3/4" PLY	18"	180'
B FRAME	S0G/4"-24"	2X	4'	110'
B FRAME	SOD/6"-12"	2X	4'	360'
B FRAME	SOD/12"-24"	BOX FORM	4'	240'
B FRAME	SOD/6"-10"	3/4" PLY	18"	180'
C FRAME	SOG/4"-24"	2X	4'	110'
C FRAME	SOD/6"-12"	2X	4'	360'
C FRAME	SOD/12"-24"	BOX FORM	4'	240'
C FRAME	SOD/6"-10"	3/4" PLY	18"	180'
D FRAME	S0G/4"-12"	2X	4'	110'
D FRAME	SOD/6"-12"	2X	4'	360'
D FRAME	SOD/4"-10"	3/4" PLY	18"	180'
HIGHRISE	SOD/4"-20"	2X	4'	360'
HIGHRISE	SOD/12"-24"	BOX FORM	4'	240'
HIGHRISE	SOD/4"-10"	3/4" PLY	18"	180'
ABC STACK	S0G/30"-48"	SET IN 2 MIN WITH ONE MAN AND WRECK IN 2 MIN WITH ONE MAN. THIS DOES NOT INCLUDE FORM MATERIAL SETTING AND WRECKING. ***FRAMES ONLY.		



















@MSBFORMUSA

#MSBFORMWORK #CONCRETEFORMING
#BUILDINGAMERICA
#FORTHELOVEOFCONCRETE #CONCRETE
#CONSTRUCTION #CONCRETELIFE #TILTUP





