





# The Future of Formwork


A lightweight, adjustable solid steel formwork solution. Save time and money, maximize quality, and maintain safety.



**A FRAME**




**D FRAME**




**B FRAME**



**HIGH RISE FRAME**



**C FRAME**



**STACKABLE FRAMES**


800-382-0105 • [Tufnlite.com](http://Tufnlite.com)

4805 Hamilton Middletown Road, Ste B • Liberty Township, OH 45011




# COMMERCIAL • INDUSTRIAL • RESIDENTIAL


MSB Form is made of the highest quality zinc-plated steel and is designed to be lightweight, compact and extremely strong for all conditions. You can expect maximum results throughout the slab process, whether you're using MSB Form® for slab on grade, fixing down to concrete or plywood. Improve efficiency and safety, reduce labor and consumables ensuring a cost-effective business model with these adjustable concrete forms.



A FRAME



B FRAME



C FRAME

## A, B, C FRAMES

- Reduce man hours by an average of 60%
- Strip the frames the same day you pour
- Stacks up to 4ft tall
- Spacing 2ft O/C at 4ft thick
- Spacing 4ft O/C at 12" thick
- Eliminates stakes & nails
- Forms may be used to align vertical
- Cordless ratchet tighten/loosens kicker plates, so stripping & cleanup is faster than any system today
- Simply unscrew from walers/forms, pull pins, stack & put away
- Easy cleanup with Nox-Crete Blast Off
- Perfect for conventional slabs and monolithic slabs
- Ideal for 310mm and 385mm waffle / 6" – 15" slab on grade
- Frames connect and stack up to 1.2m / 4 ft tall
- Can be fixed to concrete, plywood and ground

## Use for:

- Brick ledge
- Curbs
- Slab-on-grade
- Monolithic slabs
- Paving
- Radius pours
- Tank pads
- Tilt-up slabs
- Turn-down slabs



STACKABLE FRAMES




800-382-0105 • Tufnlite.com

4805 Hamilton Middletown Road, Ste B • Liberty Township, OH 45011



## SOLID STEEL FRAME • ZINC PLATED • POWDER COATED

Used to form tilt-up panels. Strip the frames the same day you pour while reducing man hours by over 60%. Finishing crews never have to avoid clipping stakes again plus, eliminate lumber for kickers. This wrecks 3 times faster than conventional lumber kickers.



D FRAME

### D Frame


- Perfect for tilt panel construction (frame height 175mm / 6.9"), elevated slabs (200mm / 8") podium deck and more
- Arm extends out 28cm / 11"
- Can be used with hinge insert (sold separately) – great for bridge decks, ensuring you achieve between 45° – 145° on your edge form.
- Can be fixed to concrete, plywood and ground

### Use for:

- High rises
- Elevated slabs
- Slab-on-grade
- Tilt-wall panels
- Internal flat floors
- External paving up to 250mm / 10"

## ELIMINATE • REDUCE • REUSE

Table forms - fasten to MDO at the edge of the table form. Leave frame attached to the form, break the bond between concrete & form, fly to the next story.



HIGH RISE FRAME

### High Rise Frame

- Ideal for 150mm – 600mm / 6" – 24" elevated slabs
- Can be fixed to concrete and plywood

### Use for:

- Bridge decks
- Post-tension slabs
- Elevated slabs
- Table forms



800-382-0105 • Tufnlite.com

4805 Hamilton Middletown Road, Ste B • Liberty Township, OH 45011



## APPLICATIONS

- Commercial
- Industrial
- Residential
- Slab-On-Grade
- Monolithic Slabs
- Slab-On-Deck
- Tilt-Up Panels
- Table Forms
- Bridge Decks
- Post-Tension Slabs
- Radius'
- Dock Doors



## ELIMINATE

- Nails
- Hammers
- Flying Lumber for Kickers
- Overtime Hours
- Hand Injuries

## REDUCE

- Man Hours by over 60%
- Material Costs
- Hand Injuries
- Trip Hazards
- Labor Costs

## REUSE

- Get 10+ years out of MSB Frames
- MSB stakes have been used in over 200 pours
- Strip the frames the say day you pour and reuse on framing the next pour

800-382-0105 • Tufnlite.com

4805 Hamilton Middletown Road, Ste B • Liberty Township, OH 45011